

H  
INDEX MAPS.

**T. 19 N. R. 6 W. 2<sup>nd</sup> Mer.**

72	71	71	71	71	70	
74 6	94 5	94 4	84 3	82 2	78 1	70
95	95	89	82	81	77	
73 7	94 8	87 9	85 10	81 11	77 12	70
94	94	87	85	81	77	
73 18	93 17	88 16	84 15	80 14	76 13	69
93	93	88	84	80	76	
73 19	92 20	88 21	84 22	80 23	75 24	69
92	92	87	83	79	75	
72 30	91 29	87 28	83 27	79 26	75 25	69
91	91	86	83	79	74	
72 31	90 32	86 33	82 34	78 35	74 36	68
68	68	67	67	67	67	

**T. 20 N. R. 6 W. 2<sup>nd</sup> Mer.**

101	101	101	101	100	100	
103 6	122 5	111 4	113 3	110 2	106 1	100
122	122	117	115	110	104	
103 7	121 8	116 9	113 10	109 11	106 12	100
121	121	116	113	109	105	
102 18	120 17	116 16	112 15	109 14	105 13	99
120	120	115	112	108	105	
102 19	119 20	115 21	112 22	108 23	104 24	99
119	119	115	111	108	104	
102 30	118 29	114 28	111 27	107 26	104 25	99
118	118	114	110	107	103	
101 31	117 32	114 33	110 34	107 35	103 36	98
98	98	97	97	97	97	

The figures on the lines refer to the page.

Township N. 19 North, Range N. 6 West 2. Mer. Indiana.

### Township Lines.

Ch. & Sk. South Boundary. Var. 7.00. E.  
West on the S. Boundary of Sec. 36

40.00 a Beech 14 in. dia. stands for gr. sec. corner.

80.00 set post cor. of sec. 35 & 36 from which

a Beech 8 in. dia. bears N 50 E 22 W. dist. 8

a Sugar 24 " " " S 30 E 1 " "

Land very rich & good for farming, timber Beech,  
Sugar, Poplar, Ash, some Walnut &c.

West on the S. Boundary of Sec. 35

40.00 sec. gr. sec. post from which

a Gum 10 in. dia. bears S 74 E 27 W. dist. 8

a Beech 10 " " " N 64 E 16 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 14 in. dia. bears N 48 E 34 W. dist. 8

a Sugar 8 " " " S 28 W 20 " "

Land same as last described.

West on the S. Boundary of Sec. 34

7.50 a Brook 6 W. wide course S.

40.00 set gr. sec. post from which

a Hickory 14 in. dia. bears N 57 E 44 W. dist. 8

a Beech 15 " " " S 16 W 14 " "

65.00 a Brook 10 W. wide course S.

80.00 set post cor. of sec. 33 & 34 from which

a Beech 9 in. dia. bears N 46 E 16 W. dist. 8

a Sugar 8 " " " S 61 E 17 " "

Land 2. rate, timber Beech, Sugar, Ash, Elm,  
Poplar, part rather flat wet. Middling good  
farming land.

West on the S. Boundary of Sec. 33

15.00 a dry Branch 12 W. wide course S.

40.00 set gr. sec. post from which

a Ironwood 6 in. dia. bears N 60 W 17 W. dist. 8

## T. 19 N., R. 6 W. E. Mer. Ind.

Chs. 10?

a Beech 10 in. dia. bears N 70 E 19 W. dist.  
 80.00 set post cen. of sec. 32 & 33 from which  
 a Beech 24 in. dia. bears N 48 E 21 W. dist. &  
 a Do 10 " " " West 8 " "  
 Land similar

## West on the S. Boundary of Sec. 32

40.00 set gr. sec. post from which  
 a Poplar 30 in. dia. bears N 8 E 29 W. dist. &  
 a Beech 12 " " " S 41 W 21 " "  
 80.00 set post cen. of sec. 31 & 32 from which  
 a Beech 9 in. dia. bears N 3 W 13 W. dist. &  
 a Do 14 " " " S 73 E 25 " "  
 Land similar.

## West on the S. Boundary of Sec. 31

40.00 set gr. sec. post from which  
 a Hickory 30 in. dia. bears S 72 E 19 W. dist. &  
 a Beech 9 " " " S 36 W 16 " "  
 79.00 Intersect W. Boundary 418 W. S. of post -  
 set post at intersection cen. of Sec. 18 & 19 N. R. 6 W. 7 W.  
 from which  
 a Sugar 10 in. dia. bears S 75 E 21 W. dist. &  
 a Beech 11 " " " S 74 W 12 " "  
 Land similar.

## East Boundary. Var. 6. 45. E.

## North on the E. Boundary of Sec. 36

October 2, 1819

40.00 set gr. sec. post from which  
 a Beech 9 in. dia. bears N 56 E 11 W. dist. &  
 a S. Oak 18 " " " S 2 W 17 " "  
 80.00 set post cen. of sec. 25 & 36 from which  
 a W. Ash 9 in. dia. bears N 54 E 32 W. dist. &  
 a Buckeye 8 " " " S 40 W 10 " "  
 Land level & rate, timber Beech, Sugar, Oak,

T. 19 N., R. 6 W. 2. Mer. Ind. a.

Ch. 2. 2nd

Ash, Elm. Middling good land for farming, part rather wet.

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which

a Beech 8 in. dia. bears N 25 E 15 lbs. dist. 8

a Sugar 27 " " " S 48 W 1 " "

74.00 a Brook 3 lbs. wide course E.

80.00 set part cor. of sec. 24 & 25 from which

a Beech 18 in. dia. bears S 72 E 11 lbs. dist. 8

an Elm 4 " " " N 70 W 211 " "

Land same

North on the E. Boundary of Sec. 24

40.00 set of sec. part from which

an Elm 12 in. dia. bears N 21 E 40 lbs. dist. 8

a W. Oak 8 " " " South 29 " "

80.00 set part cor. of sec. 13 & 24 from which

a Cherry 10 in. dia. bears N 52 W 4 lbs. dist. 8

a Hackberry 14 " " " S 80 E 30 " "

Part of this mile T. 2 ate land, some part too wet, timber Beech, Sugar, Walnut, Hackberry, Buckeye Ash, Sycamore &c.

North on the E. Boundary of Sec. 13

5.00 a Spring to the W. of the line

10.00 a Brook 12 lbs. wide course SW.

40.00 set of sec. part from which

a W. Oak 18 in. dia. bears S 23 W 24 lbs. dist. 8

a W. Ash 8 " " " N 1 W 24 " "

62.50 enter Prairie which is wet & boggy

80.00 set part cor. of sec. 12 & 13 from which

a W. Oak 30 in. dia. bears N 10 W 14 lbs. dist. 8

a Do 20 " " " N 82 E 10 " "

Land rich & good for farming.



## T. 19 N., R. 6 W. 2. Mer. Ind.

Chs. Sk.

North on the E. Boundary of Sec. 12

2.00 a Spring branch 10 W. wide course E.  
10.00 leave Prairie

31.00 enter "

32.00 same Branch course SW

40.00 set g. sec. post from which

a W. Oak 27 in. dia. bears N 74 W 93 W. dist. 8

a J. Oak 9 " " " North 55 " "

60.00 passed Prairie

70.00 enter same Prairie

75.00 passed it

80.00 set post cor. of sec. 12 &amp; 12 from which

a B. Oak 30 in. dia. bears S 86 E 27 W. dist. 8

a Hickory 10 " " " N 71 W 30 " "

Upland Oak &amp; Hickory, good for farming.

Prairie wet &amp; swampy.

North on the E. Boundary of Sec. 1

27.00 enter Prairie

33.00 passed "

40.00 set g. sec. post from which

a W. Oak 12 in. dia. bears N 49 W 13 W. dist. 8

a S. 36 " " " S 30 E 24 " "

44.00 enter Prairie

50.00 passed it

65.00 enter wet Prairie

75.00 passed it

80.00 set temporary Township corner.

Land S. rate, thinly timbered with Oak &  
Hickory, some wet Prairie

North Boundary. Var. C. 40. E.

West on the S. Boundary of Sec. 36, T 20 N, R 6 W

4.00 enter Prairie or Cranberry Marsh

5.00 passed it

40.00 set g. sec. post from which

T. 19 N., R. 6 W. 2. Mer. Ind.

Ch. Sp.

a Beech 20 in. dia. bears N 56 W 10 lbs. dint. 8

a Hickory 9 " " " S 48 E 18 " "

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 9 in. dia. bears N 45 E 26 lbs. dint. 8

a W. Walnut 6 " " " S 27 W 21 " "

2. rate Oak land

West on the S. Boundary of Sec. 35, T. 20 N., R. 6 W.

40.00 set gr. sec. post from which

a B. Ash 9 in. dia. bears S 73 E 43 lbs. dint. 8

a Hickory 9 " " " N 71 W 16 " "

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 10 in. dia. bears N 89 E 13 lbs. dint. 8

a W. Ash 30 " " " N 53 W 6 " "

Land rich & good for farming, timber Beech, Sugar, Poplar, Walnut &c.

West on the S. Boundary of Sec. 34, T. 20 N., R. 6 W.

40.00 set gr. sec. post from which

a Sugar 9 in. dia. bears N 10 E 4 lbs. dint. 8

a W. Ash 9 " " " S 87 W 19 " "

80.00 set post cor. of sec. 33 & 34 from which

a Hickory 14 in. dia. bears S 68 E 25 lbs. dint. 8

a Do 20 " " " West 41 " "

Land same as last described.

West on the S. Boundary of Sec. 33, T. 20 N., R. 6 W.

10.00 enter wet Prairie

40.00 set gr. sec. post in Prairie, no bearing trees

60.00 passed Prairie

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 12 in. dia. bears N 6 E 4 lbs. dint. 8

a Do 24 " " " S 17 W 5 " "

Land 2. rate, timbered land good, Prairie wet

West on the S. Boundary of Sec. 32, T. 20 N., R. 6 W.

## T. 19 N., R. 6 W. 2. Mer. Ind. a

Ch. 10!

- 37.00 a Brook 10 Ws. wide course NW  
 40.00 set g. sec. post from which  
 an Elm 36 in. dia. bears S 87 E 19 Ws. dist. 8  
 a Beech 14 " " " S 13 W 50 " "  
 80.00 set post cor. of sec. 31 & 32 from which  
 a Walnut 9 in. dia. bears S 78 E 10 Ws. dist. 8  
 a Sugar 12 " " " S 38 W 28 " "  
 Land rich & good for farming, timber Beech,  
 Sugar, Walnut, Ash

West on the S. Boundary of Sec. 31, T. 20 N., R. 6 W.

- 40.00 set g. sec. post from which  
 a Sugar 9 in. dia. bears N 79 E 16 Ws. dist. 8  
 an Elm 12 " " " S 67 W 19 " "  
 80.36 Intersect W. Boundary 524 Ws. N. of temp. post -  
 set post at intersection cor. of T. 19 & 20 N., R. 6 & 7 W.  
 from which  
 a Spruce 12 in. dia. bears S 46 E 22 Ws. dist. 8  
 a Spruce 9 " " " N 53 W 28 " "  
 Land level, timber Beech, Sugar, Ash &c.  
 Middling good farming land.

West Boundary. Var. 7° 05' E.

North on the E. Boundary of Sec. 30, T. 19 N., R. 7 W

October 1. 1819

- 40.00 set g. sec. post from which  
 a S. Oak 27 in. dia. bears S 24 E 21 Ws. dist. 8  
 a Sugar 10 " " " N 55 W 13 " "  
 80.00 set post cor. of sec. 25 & 36 from which  
 a Sugar 9 in. dia. bears N 80 W 13 Ws. dist. 8  
 a Spruce 9 " " " S 3 E 29 " "  
 Land level & rate, timber Beech, Sugar &c.  
 Middling good farming land.

North on the E. Boundary of Sec. 25, T. 19 N., R. 7 W

- 40.00 set g. sec. post from which

Completed

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind.Ch<sup>o</sup>? Ch<sup>o</sup>?an Elm 9 in. dia. bears S 20 E 17 1/2<sup>o</sup>. dist. 8

a Hickory 6 " " " N 70 W 8 " "

80.00 set part cor. of sec. 24 &amp; 25 from which

an Oak 36 in. dia. bears N 70 E 16 1/2<sup>o</sup>. dist. 8

a Beech 18 " " " N 57 W 13 " "

Land level part very rich &amp; good for farming &amp; part rather wet

## North on the E. Boundary of Sec. 24, T 19 N, R 7 W

40.00 set gr. sec. post from which

a Beech 9 in. dia. bears S 52 E 22 1/2<sup>o</sup>. dist. 8

a Do 12 " " " N 58 W 43 " "

80.00 set part cor. of sec. 13 &amp; 24 from which

a Sugar 9 in. dia. bears N 37 W 3 1/2<sup>o</sup>. dist. 8

a Beech 8 " " " N 78 W 21 " "

Land level, timber Beech, Sugar &amp; good farming land

## North on the E. Boundary of Sec. 13, T 19 N, R 7 W

37.00 a creek 20 1/2<sup>o</sup> wide course N 7 W

40.00 set gr. sec. post from which

an Elm 14 in. dia. bears S 43 E 21 1/2<sup>o</sup>. dist. 8

a W. Beech 8 " " " S 49 W 12 " "

40.50 same Brook course N E

54.00 do " NW

80.00 set part cor. of sec. 12 &amp; 13 from which

a Sugar 9 in. dia. bears S 11 W 9 1/2<sup>o</sup>. dist. 8

a Do 18 " " " N 31 W 28 " "

Land similar, part rolling land &amp; good for farming.

## North on the E. Boundary of Sec. 12, T 19 N, R 7 W

40.00 set gr. sec. post from which

a Sycamore 9 in. dia. bears N 65 E 39 1/2<sup>o</sup>. dist. 8

a Willow 8 " " " N 27 W 36 " "

a creek 80 1/2<sup>o</sup> wide course S W

## T. 19 N., R. 6 W. 2. Mer. Ind.

Ch. 1. Sh.

80.00 set post cor. of sec. 12 & 12 from which  
 a Beech 8 in. dia. bears N 73 E 31 W. dist. 8  
 a Sugar 7 " " " S 1 E 22 " "  
 South 1/2 mile nearly 1<sup>st</sup> rate, North 1/2 mile level  
 & good for farming, part rather wet

North on the E. Boundary of Sec. 1, T 19 N, R 7 W

12.50 a Brook 12 W. wide course S W

40.00 set gr. sec. post from which

a W Walnut 10 in. dia. bears S 46 E 26 W. dist. 8

an Elm 12 " " " N 53 W 13 " "

80.00 set temporary Township corner.

Land part 1<sup>st</sup> rate & part rather wet

Surveyed in 1819 by William Harris

Dep. Surveyor

## Subdivision. Var. 6. 45. E.

North between Sec. 35 & 36

10.00 a Swamp 300 W. wide

17.00 a Hickory 24 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears S 85 W 35 W. dist. 8

a Do 8 " " " N 14 E 19 " "

42.25 a W. Oak 36 " "

50.25 a Beech 15 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

an Ash 12 in. dia. bears N 30 W 22 W. dist. 8

a Do 12 " " " S 48 E 25 " "

Land flat 2<sup>d</sup> rate, timber Ash, Elm, Beech,  
 Walnut & Wyp. Spice

East on Random between Sec. 25 & 36

40.00 set temp. - gr. sec. post

55.00 enter Swamp

70.00 leave "

79.78 Intersect E. Boundary 50 W. S. of post



## T. 19 N., R. 6 W. 2 E. Mer. Ind.

Chs. 20?

Land wet, timber Beech, Maple, Ash. 2. rate

## West Corrected between Sec. 25 &amp; 30

6.25 a W. Oak 24 in. dia.

39.89 set of sec. port at aver. dist. from which  
 an Ash 24 in. dia. bears N 42 W 25 lbs. dist. 8  
 a Hackberry 12 " " S 15 E 12 " "

79.78 to sec. cor.

## North between Sec. 25 &amp; 26

4.25 a Walnut 24 in. dia.

27.50 a creek 25 lbs. wide course W.

40.00 set of sec. port from which  
 an Ash 24 in. dia. bears S 53 W 27 lbs. dist. 8  
 a Beech 18 " " S 89 E 25 " "

69.00 a Dr 6 " "

80.00 set port cor. of sec. 25, 26, 23 & 24 from which  
 a Beech 18 in. dia. bears S 70 E 15 lbs. dist. 8  
 a Dr 12 " " S 88 W 14 " "

Land flat 2. rate, timber Beech, Maple, Ash.

## East on Rauden between Sec. 24 &amp; 25

40.00 set temp. of sec. port

80.17 Intersect E. Boundary 400 lbs. N. of port

Land flat 2. rate, timber Walnut, Ash, Maple.

## West Corrected between Sec. 24 &amp; 25

13.75 a Walnut 24 in. dia.

40.08 set of sec. port at aver. dist. from which  
 a Beech 10 in. dia. bears S 15 E 8 lbs. dist. 8  
 a Maple " " N 43 E 27 " "

41.32 an Ash 10 " "

80.17 to sec. cor.

## North between Sec. 23 &amp; 24

10.00 a Maple 24 in. dia.

## T. 19 N., R. 6 W. 2 Mer. Ind. a

Chr. Sk.

15.50 a Stream 25 lks. wide corner W

40.00 set gr. sec. post from which

a Poplar 18 in. dia. bears S 74 E 25 lks. dist. 8

a Maple 9 " " " N 62 W 25 " "

49.20 a Poplar 24 " "

80.00 set post cor. of sec. 13, 14, 23 &amp; 24 from which

a Maple 12 in. dia. bears S 29 E 4 lks. dist. 8

a Buckeye 8 " " " N 12 W 36 " "

Land cutting 2. rate, timber Maple, Beech,  
Walnut, Buckeye.

East on Random between Sec. 13 &amp; 24

40.00 set temp. gr. sec. post

45.00 a Stream 20 lks. wide corner NW

80.70 Intersect E. Boundary 22 lks. N. of post -

Land cutting 2. rate, timber Walnut, Beech, Ash &amp;c

March 21. 1821

West Corrected between Sec. 13 &amp; 24

2.42 a Maple 8 in. dia.

40.35 set gr. sec. post at aver. dist. from which

a Beech 6 in. dia. bears S 15 E 27 lks. dist. 8

a Maple 12 " " " N 35 W 30 " "

40.86 a B. Oak 36 " "

80.70 to sec. cor.

North between Sec. 13 &amp; 14

11.12 a Walnut 24 in. dia.

25.00 a Stream 100 lks. wide

40.00 set gr. sec. post from which

a W. Oak 12 in. dia. bears S 50 E 34 lks. dist. 8

a Maple 9 " " " N 52 W 38 " "

60.50 a B. Oak 36 " "

80.00 set post cor. of sec. 11, 12, 13 &amp; 14 from which

a Maple 9 in. dia. bears S 50 W 36 lks. dist. 8

a Hickory - " " " N 45 W 50 " "

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Ch. 1<sup>st</sup>

Land flat 2<sup>d</sup> rate, timber Maple, Walnut,  
Ash, Beech &c.

East on Random between Sec. 12 &amp; 13

40.00 set temp. g. sec. post

62.50 enter Prairie

55.00 Swamp 5 Ch. wide

75.00 a Stream 20 W. wide course S W

80.70 Intersect E. Boundary 13 W. N. of post -

Land in 1<sup>st</sup> 1/2 mile 1<sup>st</sup> rate, timber Walnut,  
Ash &c. last 1/2 mile 3<sup>d</sup> rate Oak land

West Corrected between Sec. 12 &amp; 13

40.35 set g. sec. post at aver. dist. from which  
a W. Oak 20 in. dia bears S 57 E 7 W. dist 8  
an Elm 15 " " " N 10 W 13 " "

71.35 a R. Oak 24 in. dia.

80.70 to Sec. Cor.

North between Sec. 11 &amp; 12

14.00 a R. Oak 30 in. dia.

30.25 a Bur Oak - in. dia.

40.00 set g. sec. post from which  
a Maple 12 in. dia bears S 6 W 14 W. dist 8  
a R. 20 " " " N 60 E 37 " "

49.50 a B. Oak 24 " "

65.12 a Beech 12 " "

80.00 set post cor. of Sec. 1, 2, 11 & 12 from which  
an Elm 18 in. dia bears S 47 E 34 W. dist 8

a Maple 15 " " " N 60 W 23 " "

Land flat 3<sup>d</sup> rate, timber Ash, Elm, Maple,  
Beech.

East on Random between Sec. 1 &amp; 12

32.00 enter Prairie

40.00 set temp. g. sec. post in Prairie

## T. 19 N., R. 6 W. S. Mer. Ind.

Chas. Elk.

62.50 enter timbered land

80.70 Intersect E. Boundary at post—

First  $\frac{1}{2}$  mile land 2<sup>d</sup> rate, timber Ash, Elm,  
Beech—last  $\frac{1}{2}$  mile Oak prairie wet 3<sup>d</sup> rate

West Corrected between Sec. 1 &amp; 2

40.35 set g. sec. post at aver. div. in Prairie mound

80.70 to sec. cor.

North between Sec. 1 &amp; 2

12.00 an Elm 36 in. dia.

23.62 an Elm 18 " "

40.00 set g. sec. post from which

an Ash 12 in. dia. bears S 68° W 7<sup>1</sup>/<sub>2</sub> M. dist. 8

an Ash 4 " " " N 40° E 49 " "

50.75 an Hickory 12 in. dia.

60.75 an Ash 18 " "

87.00 Intersect N. Boundary 56 M. west of post—

set post at intersection cor. of sec. 1 &amp; 2 from which

a Maple 10 in. dia. bears S 36° E 48 M. dist. 8

a Hickory 36 " " " S 34° W 18 " "

Land <sup>low</sup> inclining to wet 3<sup>d</sup> rate, timber Hickory,  
Ash, Walnut, Beech &c. March 22, 1821

North between Sec. 34 &amp; 35

20.30 an Elm 36 in. dia.

40.00 set g. sec. post from which

a Hickory 12 in. dia. bears N 62° E 18 M. dist. 8

a Beech 8 " " " N 80° W 4 " "

55.75 a Maple 12 " "

80.00 set post cor. of sec. 26, 27, 34 &amp; 35 from which

an Elm 30 in. dia. bears S 45° E 10 M. dist. 8

an Ash 8 " " " N 30° W 4 " "

Land wet 3<sup>d</sup> rate, timber Oak, Elm, Hickory,  
Maple, Beech



79

T. 19 N., R. 6 W. 2. Mer. Ind. a

Chs. 20?

East on Random between Sec. 20 & 25

40.00 sit temp. gr. sec. port

70.00 a Stream 20 Ws. wide course N 4 W

80.30 Intersect N. S. line 25 Ws. S. of port—

Land wet 3. rate, timber Walnut, Beech, Oak,  
Maple

West Corrected between Sec. 20 & 25

2.50 an Ash 10 in. dia.

40.15 sit gr. sec. port at aver. dint from which

a Beech 8 in. dia. bears S 40— 27 Ws. dint. 8

an Ash 12 " " " N 45 W 7 " "

79.50 an Elm 24 " "

80.30 to sec. cor.

North between Sec. 20 & 27

9.90 a Beech 18 in. dia.

40.00 sit gr. sec. port from which

a Poplar 24 in. dia. bears N 55 E 18 Ws. dint. 8

a Maple 12 " " " S 55 W 14 " "

45.00 a Stream 40 Ws. wide course W

58.70 a R. Oak 24 in. dia.

80.00 sit port cor. of sec. 22, 23, 20 & 27 from which

a Beech 12 in. dia. bears S 70 E 10 Ws. dint. 8

a Dr 15 " " " N 80 W 45 " "

Land flat 2. rate, timber Beech, Maple,  
Ash, Elm

East on Random between Sec. 23 & 26

40.00 sit temp. gr. sec. port

80.23 Intersect N. S. line 34 Ws. S. of port—

Land flat 2. rate, timber Beech, Ash, Elm

West Corrected between Sec. 23 & 26

1.70 a Poplar 24 in. dia.

40.11 sit gr. sec. port at aver. dint from which



T. 19 N., R. 6 W. 2. Mer. Ind.

Ch. Sp.

a Beech 20 in. diam. bears N 5 E 18 W. dist. 8  
 a Do 8 " " " S 35 E 22 " "  
 63.11 a Do 18 " "  
 80.23 to sec. cor.

---

North between Sec. 22 & 23

27.50 an Ash 18 in. dia.  
 40.00 set g. sec. post from which  
 a Sugar 12 in. diam. bears N 57 W 10 W. dist. 8  
 a Do 20 " " " S 80 E 20 " "  
 46.50 a Do 12 " "  
 57.00 a Walnut 20 " "  
 80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
 a Sugar 8 in. diam. bears S 45 E 28 W. dist. 8  
 a W. Walnut 3 " " " N 40 W 25 " "  
 Land level 2 rate, timber Sugar, Beech,  
 Ash, Cherry. March 23. 1821

---

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post  
 79.86 Intersect N. E. line 28 W. S. of post -  
 Land 2 rate, timber Beech, Sugar, Ash, Gum

---

West Corrected between Sec. 14 & 23

10.00 a Poplar 24 in. dia.  
 39.93 set g. sec. post at aver. dist. from which  
 an Elm 10 in. diam. bears S 65 W 27 W. dist. 8  
 a Sugar 12 " " " N 23 W 40 " "  
 79.86 to sec. cor.

---

North between Sec. 14 & 15

18.50 a W. Oak 36 in. dia.  
 18.00 a Swamp 4 Ch. wide  
 37.00 a creek 100 W. wide course S W  
 40.00 set temp. g. sec. post from which  
 - an Ash 8 in. diam. bears N 70 E 24 W. dist. 8

T. 19 N., R. 6 W. 2. Mer. Ind<sup>a</sup>

Chas. L. P.

a Hickory 9 in. dia. bears N 87° W 24 lbs. dist.  
 44.00 a W. Walnut 24 in. dia.

80.00 at port cor. of sec. 10, 11, 14 & 15 from which  
 a Beech 20 in. dia. bears N 39° E 20 lbs. dist. &  
 a R. Oak — " " " N 65° W — " "  
 Land wet 3<sup>d</sup> rate, timber Beech, Sugar, Oak &c.

## East on Random between Sec. 11 &amp; 14

40.00 at temp. gr. sec. port —  
 80.00 Intersect N & S. line 25 lbs. S. of port —  
 Land level 2<sup>d</sup> rate, timber Sugar, Walnut, Ash, &  
 Wp. Spice

## West Connected between Sec. 11 &amp; 14

34.50 a Sugar 18 in. dia.  
 40.00 at gr. sec. port at aver. dist. from which  
 a W. Oak 20 in. dia. bears S 8° E 23 lbs. dist. &  
 a Hickory 4 " " " N 30° E 40 " "  
 71.38 a Beech 18 " "  
 80.00 to sec. cor.

## North between Sec. 10 &amp; 11

5.05 a Hickory 24 in. dia.  
 40.00 at gr. sec. port from which  
 a Walnut 24 in. dia. bears S 10° E 24 lbs. dist. &  
 a Gum 3 " " " N 65° E 20 " "  
 41.92 a Stream 25 lbs. wide course W.  
 58.75 a R. Oak 24 in. dia.  
 80.00 at port cor. of sec. 2, 3, 10 & 11 from which  
 a Buckeye 4 in. dia. bears S 70° E 12 lbs. dist. &  
 a Coffeenut 2 " " " N 80° W 6 " "  
 Land 2<sup>d</sup> rate, timber Ash, Walnut, Oak &c.

## East on Random between Sec. 2 &amp; 11

40.00 at temp. gr. sec. port  
 80.10 Intersect N & S. line 12 lbs. S. of port —

## T. 19 N., R. 6 W. 2. Mer. Ind. a

Ch. 1. 1821

Land rolling 2<sup>d</sup> rate, timber Sugar, Walnut, Ash &c

West Corrected between Sec. 2 &amp; 11

40.05 set g. sec. post at aver. dist. from which  
 a Sugar 12 in. dia. bears S 11 W 23 lbs. dist. 8  
 a Do 8 " " " N 60 E 22 " "

41.29 a R. Oak 42, "

80.10 to sec. cor.

North between Sec. 2 &amp; 3

3.20 a Beech 12 in. dia.

15.00 a Swamp 5.50 Ch. wide

39.70 an Elm 72 in. dia.

40.00 set g. sec. post from which  
 an Ash 12 in. dia. bears S 86 E 39 lbs. dist. 8  
 (no other Bearing tree)

78.25 a Hickory 30 in. dia.

88.30 Intersect N. Boundary 119 lbs. W. of post —  
 set post at intersection Cr. of sec. 2 & 3 from which  
 a Hickory — in. dia. bears S 14 W 33 lbs. dist. 8  
 a Sugar 18 " " " N 77 W 15 " "  
 First 1/2 mile wet 3<sup>d</sup> rate, last 1/2 mile rolling  
 2<sup>d</sup> rate, timber Elm, Ash, Walnut, Sugar  
 &c. March 24. 1821

North between Sec. 33 &amp; 34

3.00 a Poplar 20 in. dia.

40.00 set g. sec. post from which  
 a Sugar 6 in. dia. bears S 45 E 21 lbs. dist. 8  
 a Do 8 " " " S 65 W 6 " "

74.25 a Beech 12 " "

80.00 set post Cr. of sec. 27, 28, 33 & 34 from which  
 a Hickory — in. dia. bears S 73 E 21 lbs. dist. 8  
 a Beech 8 " " " N 85 W 37 " "

Land flat, wet in places, 2<sup>d</sup> rate, timber Beech,  
 Sugar, Ash, Elm &c

## T.M.N., R.O.W.D. Mer. Ind.

Ch. Pk.

East on Random between Sec. 27 &amp; 34

40.00 set temp. gr. sec. post

80.00 Intersect N. & S. line 20 W. N. of post -  
Land 3<sup>rd</sup> rate, timber Elm, Lymn &c.

West Corrected between Sec. 27 &amp; 34

11.50 a Hickory 24 in. dia.

40.00 set gr. sec. post at aver. dist. from which  
a Beech 3 in. dia. bears S 44 W 7 W. dist. 8  
a Do — " " " North 5 " "

74.88 a Hickory 24 in. dia.

80.00 to sec. cor.

North between Sec. 27 &amp; 28

33.75 a W. Oak 20 in. dia.

40.00 set gr. sec. post from which  
a Beech 8 in. dia. bears N 12 E 13 W. dist. 8  
a Do 12 " " " S 11 W 13 " "

52.62 an Ash 12 " "

80.00 set post cor. of Sec. 21, 22, 27 & 28 from which  
a Beech 9 in. dia. bears N 81 W 11 W. dist. 8  
a Do 12 " " " N 35 W 11 " "  
Land some wet, timber Beech, Elm, Lymn &c.

East on Random between Sec. 22 &amp; 27

40.00 set temp. gr. sec. post

73.05 a Stream 12 W. wide course N.

79.90 Intersect N. & S. line 39 W. N. of post -  
Land 2<sup>nd</sup> rate, timber Beech, Sugar, Oak &c.

West Corrected between Sec. 22 &amp; 27

0.50 a Beech 18 in. dia.

40.00 set gr. sec. post at aver. dist. from which  
a Beech 18 in. dia. bears N 62 W 8 W. dist. 8  
an Ash 3 " " " S 69 E 24 " "

70.25 a Hickory 24 " "

## T. 19 N., R. 6 W. 2. Mer. Ind.?

Ch. Lk.

79.90 to sec. cor.

## North between Sec. 21 &amp; 22

16.50 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 60 W 15 lbs. dist. 8

a Do 15 " " " N 20 E 8 " "

56.50 a Sugar 12 " "

61.25 a Stream 25 lbs. wide course S W

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a Poplar 48 in. dia. bears S 73 E 10 lbs. dist. 8

a Beech 20 " " " N 45 W 25 " "

Land 2<sup>d</sup> rate, timber Sugar, Poplar, Beech & Spice

## East in Random between Sec. 15 &amp; 22

40.00 set temp. g. sec. post

41.00 a Swamp 5 Ch. wide

80.36 Intersect N &amp; S. line 70 lbs. N. of post—

First 1/2 mile timber Sugar, Ash, Walnut land

2<sup>d</sup> rate—last 1/2 mile inclining to wet 3<sup>d</sup> rate, timber

Oak, Hickory, Elm March 25. 1821

## West Corrected between Sec. 15 &amp; 22

40.18 set g. sec. post at aver. dist. from which

a Hickory 4 in. dia. bears N 7 E 20 lbs. dist. 8

a W. Oak 6 " " " S 23 W 22 " "

80.36 to sec. cor.

## North between Sec. 15 &amp; 16

12.45 a Walnut 30 in. dia.

27.75 a Sugar 24 " "

39.75 a creek 60 lbs. wide course N W

40.00 set g. sec. post from which (post in creek)

a forked Buckeye 8 in. dia. bears S 27 W 35 lbs. dist. 8

a Lycanion 24 " " " N 27 E 48 " "

55.50 a W. Oak 30 in. dia.



T. 19 N., R. 6 W. 2<sup>d</sup>. Mer. Ind. 2.

Chas. L. H.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
 a W. Beech 4 in. dia. bears S 70 - 26 W. dist. 8  
 a Maple 20 " " " N 39 E 29 " "  
 First 1/2 mile land rolling 2<sup>d</sup> rate, timber Walnut,  
 Sugar, Ash &c. last 1/2 mile wet 3<sup>d</sup> rate, timber  
 Oak, Beech, Maple &c.

## East on Random between Sec. 10 &amp; 15

40.00 set temp. of sec. post  
 79.86 Intersect N. & S. line 39 W. N. of post -  
 Land wet 2<sup>d</sup> rate, timber Oak, Beech, Hickory,  
 Lymn

## West Corrected between Sec. 10 &amp; 15

1.26 a W. Oak 30 in. dia.  
 39.93 set of sec. post at aver. dist. from which  
 a Beech 30 in. dia. bears N 21 E 24 W. dist. 8  
 an Ash 4 " " " S 79 W 15 " "  
 42.53 a Hickory 24 " "  
 79.86 to sec. cor.

## North between Sec. 9 &amp; 10

21.00 a W. Ash 24 in. dia.  
 37.00 a Stream 50 W. wide course S W  
 40.00 set of sec. post from which  
 a Sugar 14 in. dia. bears S 35 W 11 W. dist. 8  
 a Lymn 3 " " " N 87 W 31 " "  
 55.73 a W. Oak 36 " "  
 73.22 a Hickory 24 in. dia.  
 80.00 set post cor. of sec. 3, 4, 9 & 10 from which  
 a Walnut 24 in. dia. bears N 28 E 11 W. dist. 8  
 a W. Oak 22 " " " S 58 W 21 " "  
 Land wet in places 2<sup>d</sup> rate, timber Walnut, Ash,  
 Oak &c.

## East on Random between Sec. 3 &amp; 10

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>Ch<sup>a</sup>. 2<sup>d</sup> 10<sup>th</sup>

40.00 set temp. g. sec. post

79.80 Intersect N & S. line 20<sup>th</sup> W. N. of post —  
 Land 3<sup>d</sup> rate; timber Walnut, Ash, Sugar &  
 Spice

West Corrected between Sec<sup>s</sup>. 32 & 10

39.90 set g. sec. post at aver. dist. from which  
 a Sugar 9 in. dia. bears N 45 E 25 W. dist. 8  
 a W. Oak 12 " " " S 27 W 20 " "

79.80 to sec. cor.

North between Sec<sup>s</sup>. 32 & 14

0.10 a B. Oak 24 in. dia.

29.75 an Elm 30 " "

40.00 set g. sec. post from which  
 a Gum 15 in. dia. bears S 62 W 24 W. dist. 8  
 a B. Oak 14 " " " N 52 E 6 " "

49.20 a Black — 24 in. dia.

87.35 Intersect N. Boundary at post —  
 Land 3<sup>d</sup> rate wet; timber Oak, & Hickory  
 March 26. 1821

North between Sec<sup>s</sup>. 32 & 33

9.65 a Spruce 24 in. dia.

16.60 an Elm 24 " "

40.00 set g. sec. post from which  
 a Beech 20 in. dia. bears N 52 E 26 W. dist. 8  
 a Maple 12 " " " S 70 W 15 " "

44.75 an Ash 18 " "

80.00 set post cor. of sec<sup>s</sup>. 28, 29, 32 & 33 from which  
 a W. Oak 36 in. dia. bears S 50 W 9 W. dist. 8  
 an Ash 3 " " " N 42 E 10 " "  
 Land wet 3<sup>d</sup> rate, timber Ash, Spruce, Oak, Hickory &

East in Ransom between Sec<sup>s</sup>. 28 & 33

40.00 set temp. g. sec. post

## T. 19 N., R. 6 W. 2. Mer. Ind. a

Chas. G. P.

80.25 Intersect N. & S. line 6 kps. S. of post -  
Land 2<sup>d</sup> rate, timber Walnut, Beech, Oak, Sugar &c.

West Corrected between Sec. 28 &amp; 33

14.00 a Sugar 18 in. dia.

40.12 1/2 set of sec. post at aver. dint. from which  
a Sugar 4 in. dia. bears S 55 E 31 kps. dint. S  
an Ash - " " " N 7 W 19 " "

63.52 a Sugar 6 " "

80.25 to sec. cor.

North between Sec. 28 &amp; 29

25.65 a Sugar 18 in. dia.

40.00 set of sec. post from which  
a Hickory 36 in. dia. bears S 42 E 4 kps. dint. S  
a Beech 8 " " " N 50 W 25 " "

45.40 a Do 18 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
an Elm 24 in. dia. bears N 59 E 5 kps. dint. S  
a Beech 10 " " " S 89 W 35 " "

Land inclining to wet 2<sup>d</sup> rate, timber Beech, Sugar,  
Elm, Ash &c.

East on Random between Sec. 21 &amp; 28

40.00 set temp. of sec. post

70.50 a Stream 12 kps. wide course N

80.03 Intersect N. &amp; S. line 25 kps. S. of post -

Land 2<sup>d</sup> rate, timber Beech, Sugar, Oak & Poplar

West Corrected between Sec. 21 &amp; 28

2.08 a Sugar 12 in. dia.

40.01 1/2 set of sec. post at aver. dint. from which  
an Elm 8 in. dia. bears S 51 W 13 kps. dint. S  
a Sugar 18 " " " N 25 E 13 " "

75.25 a Do 9 " "

80.03 to sec. cor.

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind. a

Chs. Eps.

North between Sect. 20 &amp; 21

7.45 a Sugar 10 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 87° W 16 lbs. dist. 8

a B. Oak 20 " " " N 89° W 25 " "

55.00 a Beech 18 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a Beech 10 in. dia. bears S 57° E 24 lbs. dist. 8

a S " " " " N 33° W 35 " "

Land 2<sup>d</sup> rate, timber Beech, Sugar, Walnut &c

Upr. Spice March 28. 1821

East in Random between Sect. 16 &amp; 21

40.00 set temp. g. sec. post

45.50 a Stream 40 lbs. wide course NW

80.20 Intersect N &amp; S line 39 lbs. N. of post—

Land rolling 2<sup>d</sup> rate, timber Walnut, Sugar,

Ash &amp;c Upr. Spice

West Corrected between Sect. 16 &amp; 21

7.23 a Sugar 24 in. dia.

40.10 set g. sec. post at aver. dist from which

a Beech 9 in. dia. bears S 46° W 23 lbs. dist. 8

a Sugar " " " " N 3° W 28 " "

73.35 a Do 12 " "

80.20 to sec. cor.

North between Sect. 16 &amp; 17

2.95 a Hickory 24 in. dia.

38.00 a creek 40 lbs. wide course NW

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears S 41° E 11 lbs. dist. 8

a Beech " " " " N 40° W 3 " "

57.15 a Stream 50 lbs. wide course W

67.80 a Sugar 18 in. dia.

76.85 a Walnut 24 in. dia.

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Ch<sup>a</sup>. Cr<sup>a</sup>

80.00 at port cn. of sec<sup>s</sup> 8, 9, 16 & 17 from which  
 a W. Oak 36 in. dia. bears S 60° W 11 lbs. dist. 3  
 a Do 18 " " " S 59° E 30 " "  
 Land rolling some broken T.<sup>h</sup> rate, timber Walnut,  
 Hackberry, Poplar & Hls. Spice

East on Random between Sec<sup>s</sup> 9 & 16

40.00 set temp. of sec. port

80.50 Intersect N. & S. line 25 lbs. N. of port -  
 Land rolling, T.<sup>h</sup> 1/2 mile T.<sup>h</sup> rate - last 1/2 mile 2.<sup>d</sup>  
 rate - timber Walnut, Sugar, Hackberry, Poplar

West Connected between Sec<sup>s</sup> 9 & 16

1.14 an Elm 18 in. dia.

40.25 set of sec. port at aver. dist. from which  
 a Sugar 6 in. dia. bears N 20° E 20 lbs. dist. 3  
 a Do - " " " S 27° E 30 " "

78.05 a Do 18 " "

80.50 to sec. cor.

North between Sec<sup>s</sup> 8 & 9

9.00 a Strand 50 lbs. wide corner SW

9.75 a Lym 18 in. dia.

30.50 a R. Oak 36 in. dia.

40.00 set of sec. port from which  
 a Sugar 9 in. dia. bears N 39° W 44 lbs. dist. 3  
 a Do - " " " S 42° E 5 " "

57.00 a Hickory 12 " "

75.50 a W. Oak 30 " "

80.00 at port cn. of sec<sup>s</sup> 4, 5, 8 & 9 from which  
 a Buckeye 24 in. dia. bears N 89° W 22 lbs. dist. 3  
 an Ash 2 " " " S 68° E 28 " "  
 Land level 2.<sup>d</sup> rate, timber Sugar, Ash, Beech &

East on Random between Sec<sup>s</sup> 4 & 9

40.00 set temp. of sec. port



## T. 19 N., R. 6 W. T. Mer. Ind.

Elev. 100.

67.00 a Stream 10 Ws. wide course SW

80.12 Intersect N &amp; S line 12 Ws. N. of port -

Land inclining to wet L. rate, timber Sugar  
Beech, Gum, Ash

West Corrected between Sec. 4 &amp; 9

40.00 set q. sec. port at aver. dist. from which  
a Sugar 6 in. dia. bears N 12 E 12 Ws. dist. 8  
a W. Oak 24 " " " S 14 E 28 " "

80.12 to sec. cor.

North between Sec. 4 &amp; 5

18.65 a Hickory 24 in. dia.

31.60 a Beech 30 " "

40.00 set q. sec. port from which

a Beech 9 in. dia. bears N 44 W 23 Ws. dist. 8

a Gum - " " " S 71 E 23 " "

81.30 a Stream 10 Ws. wide course SW

87.00 Intersect N. Boundary 36 Ws. E. of port -

set port at intersection cor. of sec. 4 &amp; 5 from which

a W. Oak 18 in. dia. bears S 28 E 56 Ws. dist. 8

a Hickory - " " " S 25 W 16 " "

Land wet in places L. rate, timber Sugar

Walnut Gum March 29. 1821

North between Sec. 31 &amp; 32

2.00 a Swamp 250 Ws. wide

16.50 a Sugar 36 in. dia.

40.00 set q. sec. port from which

a Beech 20 in. dia. bears S 69 E 23 Ws. dist. 8

a Do 4 " " " N 70 W 17 " "

47.12 a Sugar 12 " "

80.00 set port cor. of sec. 29, 30, 31 &amp; 32 from which

a Beech 6 in. dia. bears S 74 W 27 Ws. dist. 8

a W. Oak 36 " " " S 40 E 3 " "

Land L. rate, timber Beech, Sugar, Hickory, Elm &amp;c

T. 19 N., R. 6 W. 2<sup>d</sup> Mer. Ind.

Ch. 1. 80.

East on Random between Sec. 29 & 32

40.00 set temp. q. sec. post

80.15 Intersect N. S. line at post -

Land 2<sup>d</sup> rate, timber Beech, Ark, Sugar, Oak

West Corrected between Sec. 29 & 32

6.70 a Hickory 12 in. dia.

40.07 set q. sec. post at aver. dirt. from which

a Beech 6 in. dia. bears S 10 W 23 1/2<sup>o</sup> dist. 8

a Do 7 " " " N 10 E 20 " "

79.50 a Sugar 18 " "

80.15 to sec. cor.

West between Sec. 30 & 31

4.70 a Sugar 20 in. dia.

40.00 set q. sec. post from which

a Beech 9 in. dia. bears S 38 E 4 1/2<sup>o</sup> dist. 8

a Do 36 " " " N 22 E 19 " "

45.12 a Sugar 20 " "

56.18 a R. Oak 24 " "

79.40 Intersect W. Boundary 25 1/2<sup>o</sup> S. of post -

set post at intersection cor. of sec. 30 & 31 from which

a Sugar 8 in. dia. bears S 70 E 7 1/2<sup>o</sup> dist. 8

a Beech 12 " " " S 53 W 16 " "

Land level 2<sup>d</sup> rate, timber Sugar, Oak, Beech

North between Sec. 29 & 30

17.00 a Sugar 24 in. dia.

40.00 set q. sec. post from which

a Sugar 12 in. dia. bears S 77 W 40 1/2<sup>o</sup> dist. 8

a Do 12 " " " S 12 E 21 " "

51.17 a R. Oak 24 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 8 in. dia. bears S 13 E 20 1/2<sup>o</sup> dist. 8

a Do 12 " " " S 58 W 27 " "

Land some wet 2<sup>d</sup> rate, timber Beech, Sugar

## T. 19 N., R. 6 W. 2. Mer. Ind. a

Ch. Sp.

Elm, Ash &amp;c

East on Random between Sec. 20 &amp; 29

40.00 set temp. of sec. point

79.70 Intersect N. &amp; S. line 33 krs. N. of point—

Land flat 2. rate—timber Syc, Elm, Sugar, Beech

West Corrected between Sec. 20 &amp; 29

40.63 a Syc 24 in. dia.

39.85 set of sec. point at aver. dist. from which  
a Beech 12 in. dia. bears N 60 E 13 krs. dist. S  
a Do 8 " " " N 15 W 16 " "

54.10 a Hickory 12 in. dia.

79.70 to sec. cor.

West between Sec. 19 &amp; 30

1.50 a Syc 24 in. dia.

40.00 set of sec. point from which

a Walnut 24 in. dia. bears S 13 E 19 krs. dist. S  
a S 18 " " " N 70 W 19 " "

43.10 a Sugar 18 " "

79.78 Intersect W. Boundary 12 krs. N. of point—

set point at intersection cor. of sec. 19 & 30 from  
which a B. Oak 24 in. dia. bears S 70 E 17 krs. dist. S

a Beech 13 " " " S 72 W 12 " "

Land wet 2. rate, timber Ash, Elm, Sugar &amp;c

North between Sec. 19 &amp; 20

12.92 an Elm 20 in. dia.

40.00 set of sec. point from which

a Beech 8 in. dia. bears S 48 W 6 krs. dist. S

a B. Oak 24 " " " N 48 E 3 " "

44.10 an Elm 12 " "

80.00 set point cor. of sec. 17, 18, 19 &amp; 20 from which

a Sugar 15 in. dia. bears N 68 W 28 krs. dist. S

a Ash 24 " " " S 50 E 46 " "

## T. 19 N., R. 6 W. 2. Mer. Ind.

Ch. 1. 9th.

Land some wet L. rate, timber Ash, Sugar,  
Beech, Spruce March 30. 1821

## East on Random between Sec. 17 &amp; 20

40.00 set temp. gr. sec. post

80.00 Intersect N &amp; S. line 40 Ws. N. of post -

Land flat L. rate, timber Beech, Sugar, Ash, Elm &c.

## West Corrected between Sec. 17 &amp; 20

4.00 a Hickory 12 in. dia.

40.00 set gr. sec. post at aver. dist. from which  
a Sugar 8 in. dia. bears N 20 E 5 Ws. dist. 8  
a Beech 9 " " S 20 W 29 " "

80.00 to sec. Cor.

## West between Sec. 18 &amp; 19

5.43 a Hickory 12 in. dia.

40.00 set gr. sec. post from which  
a Sugar 10 in. dia. bears S 39 E 14 Ws. dist. 8  
a Do 10 " " N 5 E 20 " "

43.73 an Ash 24 " "

64.00 a Stream 12 Ws. wide course NW

79.89 Intersect W. Boundary at post -

Land wet in places L. rate, timber Beech,  
Sugar, Ash, Elm

## North between Sec. 17 &amp; 18

5.00 a Sugar 12 in. dia.

40.00 set gr. sec. post from which  
a Beech - in. dia. bears S 81 E 8 Ws. dist. 8  
a Poplar 24 " " N 78 W 34 " "

72.00 a Stream 15 Ws. wide course NW

73.20 a Sugar 6 in. dia.

80.00 set post cor. of sec. 7, 8, 17 & 18 from which  
a S 12 in. dia. bears S 75 W 18 Ws. dist. 8  
a Sugar 15 " " S 40 E 36 " "



94  
T. 19 N., R. 6 W. T. Mer. (Ind.  
Ch. Co.)

Land rolling L. rate, timber Sugar, Beech,  
Poplar & Elm. Spice

40.00 Sit temp. gr. sec. post

47.00 a, Su 50 s, NW

First  $\frac{1}{2}$  mile land level T. State, last  $\frac{1}{2}$  mile  
some broken L. State, timber Walnut, Hack-  
berry, Buckeye, Sugar.

3.84 MB. Oak 24 in. dia.

a Hackberry 24 in. dia. bears N 12° W 7 1/2 m. dist S

*a Hickory 10 " " " 17 E 17 " "*

80.50 to sec. cor.

6.00 a Stream 20 Yds. wide course N.

440.00 let of sec. part from which

A Beech 12 in. dia. bears N 75 E 37 W. dirt &

a No 18 " " " 959 7156 " "

80.50 Intersect W. Boundary 90 W. S. of post -

Set post at intersection Cor. of Sect. 7 & 18 from which

a Sugar 12 in. dia. bears 3500 lbs. dist. 8

at Beech 12, , , N 35° W 4, ,

Said rolling I rate, timber Beech Sugar,  
Lynn Poplar & Wg. Spice

8.00 a Sugar 18 in. dia.



T. 19 N., R. 6 W. 3. Mer. Ind.

Ch. Lk.

28.00 a Stream 100 Yds wide course NW  
 35.00 a Do 10 " " " W.  
 40.00 set of sec. post from which  
     a R. Oak 24 in. dia. bears S 63 E 42 Yds. dist. S  
     a Buckeye - " " " N 10 W 34 " "  
 42.00 a Do 12 " "  
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which  
     a Sugar 20 in. dia. bears S 6 E 10 Yds. dist. S  
     a Do 8 " " " S 63 W 40 " "  
 Land level 7<sup>th</sup> rate, timber Hackberry, Ash,  
 Sugar & Vly. Spice

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post  
 80.50 Intersect N. & S. line 4 Yds. N. of post -  
 Land level 2<sup>nd</sup> rate, timber Beech, Sugar, Oak

West Correlated between Sec. 5 & 8

3.00 a R. Oak 30 in. dia.  
 40.25 set of sec. post at aver. dist. from which  
     a Buckeye 4 in. dia. bears North 2 Yds. dist. S  
     a Sugar 24 " " " S 10 E 12 " "  
 67.50 a Hickory 18 " "  
 80.50 to sec. cor.

West between Sec. 6 & 7

5.50 a Gum 18 in. dia.  
 40.00 set of sec. post from which  
     a Beech 18 in. dia. bears N 52 E 37 Yds. dist. S  
     a Do 12 " " " S 25 W 14 " "  
 51.00 a Do 12 " "  
 80.66 Intersect W. Boundary 150 Yds. S. of post -  
     set post at intersection cor. of sec. 6 & 7 from which  
     a Gum 12 in. dia. bears S 43 E 20 Yds. dist. S  
     a Beech 24 " " " N 65 W 32 " "  
 Land wet 2<sup>nd</sup> rate, timber Beech, Oak, Sugar &

## T19 N., R. 6 W. 2. Mer. Ind. a

Ch. 1st?

North between Sect. 5 &amp; 6

16.00 at Beech 18 in. dia.

40.00 at gr. sec. post from which

a Sugar 24 in. dia. bears S 48° W 5 1/2 Mps. dist. 8

a Do 18 " " " N 44° E 5 " "

42.50 a Do 20 " "

85.50 Intersect N. Boundary 30 Mps. E. of post-  
ed post at intersection cor. of sect 5 & 6 from which

at Walnut 10 in. dia. bears N 70° W 13 Mps. dist. 8

at Buckeye 4 " " " S 15° E 19 " "

Land 1. 1/2 mile T. rate, last 1/2 mile 2. rate,

timber Buckeye, Hackberry, Sugar, Ash

March 31. 1821

A quantity of fallen timber in this  
Township

Surveyed by

B. J. Blythe  
Dep. Surveyor.

I certify that the foregoing transcript of Field  
Notes of the survey of Township N. 19 North, in  
Range N. 6 West of the 2. Principal Meridian,  
in the State of Indiana, has been compared with  
the original on file in this office, and found to  
be correct.

Surveyor General's Office,  
Cincinnati, July 5. 1844

William Johnston  
Sur. Genl.

Compd.